

Owner:	
Location:	
Start Date:	
Point of Contact:	

## **Maintenance Schedule**

\*\*Schedule could be adjusted depending at Owners discretion\*\*

## Overall

- Initial Visual Inspection with Plan of Acton Schedule
  - Attic
  - o Interior
  - o Exterior
  - Yard
- Weekly
  - o OPEN
- Monthly
  - o Surge Protection Device Evaluation
    - Company to Reach Out to Manufacturer, if replacement is necessary.
- 3 Months
  - OPEN
- 6 Months
  - o Dwelling Water Pressure
  - o Irrigation Water Pressure
- 9 Months
  - o Check for leaks using an Infrared Thermography Camera
- 12 Months/Annually
  - o Generator Dry Run with Clean Gas then Stabilizer into Tank
- Years
  - OPEN

## Interior

- Weekly
  - o OPEN
- Monthly
  - o Replenish Water Softener Salt; Adjustments to This Routine Where Necessary
  - Clean Out HVAC Condensation Line
  - Window Cleaning
  - Sink and Tub Drain Cleaning
  - o Garbage Disposal Cleaning
  - GFCI Testing
  - o HVAC Air Filter Replacement (1" thick filter)
- 3 Months
  - Clean Refrigerator and/or Deep Freezer Coils and Grille
  - Dryer Vent Cleaning
  - HVAC Air Filter Replacement (2" thick filter)
- 6 Months
  - Check for leaks throughout using an Infrared Thermography Camera
  - HVAC Air Filter Replacement (3" thick filter)
  - Smoke Detector Testing
- 9 Months
  - HVAC Air Filter Replacement (4" thick filter)
- 12 Months/Annually
  - Smoke Detector Battery Replacement
  - Clean Out Water Heater
    - Inspect for any deterioration
  - Garage Door Lubrication of Springs and Cleaning of Railing System
  - Chimney Cleaning
- Years
  - 10 years: Smoke Detector Replacement

## **Exterior**

- Weekly
  - o OPEN
- Monthly
  - o Pool Filter Cleaning
  - o Window Cleaning
  - GFCI Testing
- 3 Months
  - o Irrigation System Operation
  - Soffit Inspection for Rodents
- 6 Months
  - o Check for leaks using an Infrared Thermography Camera
  - o HVAC Condenser Unit Fin Cleaning
  - o HVAC Air Handler Unit Coil Pan Cleaning
- 9 Months
  - Pressure Wash House
  - o Pressure Wash Sidewalk
  - Pressure Wash Fence
- 12 Months/Annually
  - o Cleaning Window Weep Holes/Draining Slope
  - o Grill Cleaning and component replacement
  - o Gutter/Downspout Cleaning (preferably from Dec.-Feb.)
- Years
  - OPEN